



NMPL
Adherence To Quality

www.nmpl.co.in



Disposable PPE Products

Leading Manufacturers of Disposable Products



Index

About Us	2
Surgical Isolation Gown	3
Why AAMI?	4
AAMI Level 1 Isolation Gown	5
AAMI Level 2 Isolation Gown	6
AAMI Level 3 Isolation Gown	7
AAMI Level 4 Isolation Gown	8
Lab Coat / Trouser	9
Coveralls	10
SMS Coverall	11
PE Laminated Coverall	12
PP Spunbond Coverall	13
Shoe Cover	14
Non Woven Shoe Cover	15
Plastic Shoe Cover	15
Knee Length Shoe Cover	15
Caps	16
Non woven Bouffant Cap	17
Surgeon Cap	17
Balaclava / Hood Cap	17
Mask	18
3-Ply with SMMS Filter	19
3-Ply with Meltblown Filter	19
3-Ply without Filter	19
Gloves	20
Protective Face Shield	21
Protective Eye Gear	22
Disposable Bed Sheet	22

About Us

Directed by a dynamic team of young entrepreneurs, we are one of the leading manufacturers for non-woven disposable products. Adhering to our vision of catering to our clients with best of the products, we have successfully empanelled ourselves with more than 400 institutional clients across India with exports to USA, Canada, Bahrain, Dubai, Mauritius, Maldives, Nepal & UK.

Infrastructure

200+

Stitching machines

20+

converting machines

70+

different types of products

QC

We are an ISO 9001:2015, ISO 13485:2016, GMP and CE certified with USFDA Listed products company and follow the best manufacturing practice at our facility. The production and packaging of goods are done with the concerned workers geared with all necessary safety and hygiene apparels. The production of hygiene sensitive products are carried in temperature controlled area with regular sanitisation of the premises. Each and every products dispatched from the facility is duly checked at various stages to avoid any inconvenience to our clients.

CSR

With more than 0.5 Million pieces manufactured every day, packaging of material is one of the biggest challenge for us. To overcome this, we have developed a packaging center where we train and hire the neighbouring house-maker on contractual basis to pack our products. This team has generated an additional household income of approximately USD 70 per head per month for more than 100 women, simultaneously uplifting their self-confidence and living standards. We also sponsor the primary education of children of selected employees every year, as a way of giving back to our workers who have helped us to reach where we are today.

[View Certifications](#)



Manufacturing Facility spanning up to 1,00,000 sq ft





www.nmpl.co.in

Surgical Isolation Gown

ISO 9001:2015 Certified
ISO 13485:2016 Certified
USFDA Listed
GMP Certified
CE certified


[View Certifications](#)

Why AAMI?

AAMI Guidelines :

A Reliable benchmark for protection

Under AAMI Guidelines, protective apparel must meet minimum performance standards for strength, barrier protection and fluid resistance to ensure the safety of healthcare workers and patients.



Specifications

Level	Test	Liquid Challenge	Result	Expected Barriers Effectiveness
Level 1	ATCC 42 impact Penetration 2	Water	≤ 4.5 g	Minimal Water resistance (some resistance to water)
Level 2	AATCC 42 impact Penetration AATCC 127 Hydrostatic Pressure	Water	≤ 1.0 g ≤ 20 cms	Low water resistant to water spray and some resistance to water penetration under constant contact with increasing pressure
Level 3	AATCC 42 Impact Penetration AATCC 127 Hydrostatic Pressure	Water	≤ 1.0 g 50 cmno	Moderate water resistance(resistant to water spray and some resistance to water penetration under constant contact with increasing pressure
Level 4	ASTM F1670 Synthetic Blood Penetration Test(for surgical drapes) ASTM F1671 Viral Penetration Test (for surgical and isolation gowns)	Surrogate Blood Bacteriophages Phi-X174	Penetration at 2 psi(13.8 kpa) Penetration at 2 psi(13.8kpa)	Blood and viral penetration resistance (2psi)

AAMI Level 1 Isolation Gown



Specifications

Gown Material	Polypropylene spun bond fabric
Cuff material	Knitted Fabric
Reinforcement	Non reinforced
Weight	25gsm/35 gsm
Size	S/M/L/XI/XXL/3XL/4XL/5XL
Mode	Disposable
Fluid Protection	NO
Protection level	AAMI LEVEL 1
Test Method	AATCC-42

AAMI Level 2 Isolation Gown



Specifications

Gown Material	SMS Fabric
Cuff material	Knitted Fabric
Reinforcement	Non reinforced
Weight	43 gsm
Size	S/M/L/XI/XXL/3XL/4XL/5XL
Mode	Disposable
Fluid Protection	Low
Protection level	AAMI LEVEL 2
Test Method	AATCC-42, AATCC-127

AAMI Level 3 Isolation Gown



Specifications

Gown Material	PE laminated SMS Fabric
Cuff material	Knitted Fabric
Reinforcement	Non reinforced
Weight	58 gsm
Size	S/M/L/XI/XXL/3XL/4XL/5XL
Mode	Disposable
Fluid Protection	Medium
Protection level	AAMI LEVEL 3
Test Method	AATCC-42, AATCC-127

*Note : Reinforcement on sleeves and Chest part are optional for level 3 and level 4 Isolation gown.

AAMI Level 4 Isolation Gown



Specifications

Gown Material	PE laminated SMS Fabric
Cuff material	Knitted Fabric
Reinforcement	Non reinforced
Weight	70 gsm
Size	S/M/L/XI/XXL/3XL/4XL/5XL
Mode	Disposable
Fluid Protection	High Fluid and Viral Protection
Protection level	AAMI LEVEL 4
Test Method	ASTM F 1670, ASTM F 1671

*Note : Reinforcement on sleeves and Chest part are optional for level 3 and level 4 Isolation gown.



Lab Coat

Material	PP SpunBond
Cuff end	Elastic
Weight	25gsm and above
Colour	● Medical Blue ● Medical green ● White ● Pink ● Red ● Orange
Size	S/M/L/XL/XXL/3xl/4xl/5xl
Mode	Disposable



Trouser

Material	PP SpunBond
Waist	Elastic
Weight	25gsm and above
Colour	● Medical Blue ● Medical green ● White ● Pink ● Red ● Orange
Size	S/M/L/XL/XXL/3XL/4XL/5XL
Mode	Disposable



www.nmpl.co.in

Coveralls

ISO 9001:2015 Certified
ISO 13485:2016 Certified
USFDA Listed
GMP Certified
CE certified

[View Certifications](#)

SMS Coverall



Specifications

Coverall Material	SMS Fabric
Cuff end	Elastic
Hood end	Elastic
Ankle end	Elastic
Weight	55 gsm
Size	S/M/L/XI/XXL/3XL/4XL/5XL
Mode	Disposable
Protection	Splash Proof and dust proof
Protection Level	Category 3, TYPE 5,6
Test Method	EN 13982, EN 13034

PE Laminated Coverall



Specifications

Coverall Material	PP Spunbond + PE lamination
Cuff end	Elastic with thumb holder
Hood end	Elastic
Ankle end	Elastic
Seam Sealing Test	Hot air seam Sealed
Weight	90gsm
Size	S/M/L/XL/XXL/3XL/4XL/5XL
Mode	Disposable
Protection	Impermeable to blood and body fluids
Seam Sealing Test	Pass
Test Method	ASTM F1670/F1670M
UCC Code	S-NW-CA200601P6172-A2B4

PP Spunbond Coverall



Specifications

Coverall Material	PP Spunbond
Cuff end	Elastic
Hood end	Elastic
Ankle end	Elastic
Weight	25 GSM and above
Size	S/M/L/XI/XXL/3XL/4XL/5XL
Mode	Disposable
Protection	NA



www.nmpl.co.in

Shoe Covers

ISO 9001:2015 Certified
ISO 13485:2016 Certified
USFDA Listed
GMP Certified
CE certified

[View Certifications](#)

Non Woven Shoe Cover



Material	PP SpunBond
Weight	25 Gsm
Size	410 mm +- 0.5mm * 195mm +-0.5mm
Height	Ankle Length
Mode	Disposable
Colour	<input checked="" type="radio"/> Medical Blue <input type="radio"/> Medical green <input type="radio"/> White

Plastic Shoe Cover



Material	Polyethylene
Weight	80 Microns
Size	410 mm +- 0.5mm * 195mm +-0.5mm
Height	Ankle Length
Mode	Disposable
Colour	<input checked="" type="radio"/> Medical Blue

Knee Length Shoe Cover



Material	PP SpunBond
Weight	25 Gsm-50 Gsm
Size	410 mm +- 0.5mm * 195mm +-0.5mm
Height	Knee Length
Mode	Disposable
Colour	<input checked="" type="radio"/> Medical Blue



www.nmpl.co.in

Caps

ISO 9001:2015 Certified
ISO 13485:2016 Certified
USFDA Listed
GMP Certified
CE certified

[View Certifications](#)

Non Woven Bouffant Cap



Material	PP SpunBond
Weight	9 gsm
Size	16/18/21/24 Inch
Mode	Disposable
Colour	● Medical Blue ● Medical green ● White

Surgeon Cap



Material	PP SpunBond
Weight	25 gsm
Size	24 Inch
Mode	Disposable
Colour	● Medical Blue ● Medical green

Balaclava / Hood cap



Material	PP SpunBond
Weight	15-40 gsm
Size	Free
Mode	Disposable
Mask	With / Without
Colour	● Medical Blue ● Medical green ● White




www.nmpl.co.in

Mask

ISO 9001:2015 Certified
ISO 13485:2016 Certified
USFDA Listed
GMP Certified
CE certified

[View Certifications](#)



3-PLY with SMMS FILTER

Product	Non-Woven Face Mask Elastic / Tie on
Fabric	25 Gsm Base Fabric Of Spunbond 20 Gsm Upper Fabric Of Spunbond 30 Gsm Middle Fabric Of SMMS (99.1%) BFE 30 GSM Side Fabric on Slides
Size	195mm Base Fabric 175mm Upper Fabric 4" Of Nose Strip Okeo-TEX Certified Circular Elastic on both sides

3-PLY with MELTBLOWN FILTER

Product	Non-Woven Face Mask Elastic / Tie on
Fabric	25 Gsm Base Fabric Of Spunbond 20 Gsm Upper Fabric Of Spunbond 25 Gsm Middle Fabric Of Meltblown (98.0%) BFE 30 GSM Side Fabric on Slides
Size	195mm Base Fabric 175mm Upper Fabric 4" Of Nose Strip Okeo-TEX Certified Circular Elastic on both sides

3-PLY without FILTER

Product	Non-Woven Face Mask Elastic / Tie on
Fabric	25 Gsm Base Fabric Of Spunbond 20 Gsm Upper Fabric Of Spunbond 20 Gsm Middle Fabric Of Spunbond 30 GSM Side Fabric on Slides
Size	195mm Base Fabric 175mm Upper Fabric 4" Of Nose Strip Okeo-TEX Certified Circular Elastic on both sides




www.nmpl.co.in

Disposable Hand Gloves

Material	Nitrile / Latex / Vinyl / PE / Surgical
Color	<input checked="" type="radio"/> Blue <input type="radio"/> White <input type="radio"/> Transparent
Finger Type	Full Fingert
Packing	Box of 100 Pcs
Type	Powdered or Non Powdered

Protective Face Shield



www.nmpl.co.in

Headband Material	ABS (UV stabilised)
Transparent Sheet Material	PP 0.2mm(Anti Fog)
Headband Dimensions	165x165x5mm
Transparent Sheet Dimensions	430x250 mm
Final Weight	40gms
Type	Elastic / Tie on

Key Benefits

- Protects the face from all Respiratory Droplets.
- Provides complete coverage for face, ears and neck.
- Easy to assemble & Wash.
- Lightweight & Ergonomic.
- Manufactured with minimum human contact.

Protective Eye Gear



- Sleek ,unisex Safety Glasses
- Include Scratch-proof Polycarbonate Lenses for Durability.
- High wrap lens fits snug against the face for better coverage. Comfortable ,
- Impact-resistant & Light Weight Frame.
- The modern design offers excellent coverage and field of vision.

Disposable Bed Sheet



- Disposable bed sheet are ideal solution to protect and guard against incontinence and spills.
- This bedsheet is made from non-woven fabric. It is a non-woven material that is designed for single use.
- Sizes available : 79cms x 183 cms | 160cms x 203 cms
- Material : Non woven | LD



NIKSHE MULTIPRODUCTS PVT. LTD.

ADHERENCE TO QUALITY

Corporate Office

"Sulabh House", Behind Yes Bank, B/s cargo motors, C.G. Road, Ahmedabad -380006
Gujarat, India.

Production Unit

Block No. 101-104/107-110, Kajalwala Industrial Estate, B/h Noor Masjid, Piplaj Pirana Road, Ahmedabad-382 315. Gujarat, India.

Contact

+91 7490 053 307 | +91 7490 056 307

Email

For general inquiry: info@nmpl.co.in
For sales inquiry: sales@nmpl.co.in

